

MATERIAL LEGEND

[Pattern]	CONCRETE
[Pattern]	C.M.U.
[Pattern]	FACE BRICK
[Pattern]	STEEL
[Pattern]	BATT INSULATION
[Pattern]	RIGID INSULATION
[Pattern]	WOOD - FINISHED
[Pattern]	WOOD - ROUGH
[Pattern]	PLYWOOD
[Pattern]	SOIL
[Pattern]	GYPSUM BOARD/SHEATHING
[Pattern]	GRAVEL

ARCHITECTURAL SYMBOL LEGEND

[Symbol]	BUILDING SECTION KEY
[Symbol]	WALL SECTION KEY
[Symbol]	DETAIL REFERENCE KEY
[Symbol]	INTERIOR WALL ELEVATION KEY
[Symbol]	MILLWORK ELEVATION KEY
[Symbol]	DOOR SCHEDULE KEY
[Symbol]	FRAME TYPE KEY
[Symbol]	GLASS TYPE KEY
[Symbol]	NORTH ARROW
[Symbol]	LEVEL LINE
[Symbol]	PARTITION TYPE
[Symbol]	SPECIFICATION SECTION NUMBER
[Symbol]	EQUIPMENT BY OWNER
[Symbol]	GENERAL AREA OF REVISION
[Symbol]	REVISION NUMBER
[Symbol]	FURR DOWN DETAIL NO.
[Symbol]	1 HR RATED PARTITION

GENERAL NOTES

1. DETAILS OF EXISTING CONDITIONS ARE BASED ON ORIGINAL DRAWINGS AND FIELD OBSERVATIONS. FIELD VERIFY ACTUAL CONDITIONS AT TIME OF CONSTRUCTION AND NOTIFY ARCHITECT IF THERE ARE ANY DISCREPANCIES OR CONFLICTS.
2. ALL DIMENSIONS ARE TO FINISH FACE UNLESS NOTED OTHERWISE. DO NOT SCALE DRAWINGS - WRITTEN DIMENSIONS TAKE PRECEDENCE OVER GRAPHIC REPRESENTATIONS. DETAIL DIMENSIONS TAKE PRECEDENCE OVER PLANS AND ELEVATIONS.
3. ALL DIMENSIONS REVISIONS, MODIFICATIONS, AND DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT FOR REVIEW AND CLARIFICATION PRIOR TO THE INSTALLATION OF THE WORK.
4. PROVIDE ALL NECESSARY BLOCKING IN PARTITIONS FOR WALL MOUNTED ITEMS (DOORSTOPS, TOILET ACCESSORIES OWNER FURNISHED ITEMS, MILLWORK, MECHANICAL ELECTRICAL/DATA EQUIP., ETC.)
5. REFER TO CIVIL, STRUCTURAL MECHANICAL, ELECTRICAL AND FIRE PROTECTION PLANS FOR ITEMS BELOW GRADE CONSTRUCTION NOT SHOWN ON ARCHITECTURAL.
6. UNSCHEDULED CLOSETS OR ALCOVES ARE TO RECEIVE THE SAME FINISH AS THE ROOM IN WHICH THEY OCCUR.
7. COORDINATE MOUNTING HEIGHTS OF LIGHTING WITH ARCHITECT PRIOR TO WORK IF HEIGHTS OR LOCATIONS ARE NOT INDICATED.
8. GENERAL CONTRACTOR TO COORDINATE INTERRUPTION OF UTILITY SERVICES WITH CAMP ROBINSON A MINIMUM OF ONE WEEK PRIOR TO WORK ON UTILITIES.
9. REFER TO SHEET G1.2 AND PARTITION SCHEDULE FOR RATED WALLS. ANY PENETRATIONS THROUGH THESE WALLS ARE TO BE FIRE STOPPED PER DETAILS AS INDICATED ON G1.3. ANY PENETRATIONS THROUGH THE EXISTING CONCRETE DECK ARE TO BE FIRE STOPPED PER DETAILS AS INDICATED ON G1.3.
10. ANY EXISTING FLOOR SLABS, FLOOR FINISHES, WALLS, PARTITIONS, OR CEILINGS REQUIRED TO BE REMOVED FOR INSTALLATION OF ANY OF THE MEPP SYSTEMS SHALL BE REPAIRED WITH THE SAME MATERIALS AS ORIGINAL AND FINISHED AS PER THE ADJACENT FINISH.


ARCHITECTURAL ABBREVIATIONS

ANCH	ANCHOR	MH	MANHOLE
AGG	AGGREGATE	MCB	METAL CORNERBEAD
ABOV	ABOVE	MECH	MECHANICAL
A.F.F.	ABOVE FINISHED FLOOR	MACH	MACHINE
ALUM	ALUMINUM	MTL	METAL
ADJ	ADJUSTABLE	MANUF	MANUFACTURER
AC	AIR CONDITIONING	M	MULTIPLE
ACOUST	ACOUSTICAL	MB	MIDDLE
ASPH	ASPHALT	MEMB	MEMBRANE
AB	ANCHOR BOLT	MAX	MAXIMUM
ATTEN	ATTENUATION	MB	MEDIUM
ALT	ALTERNATE	MB	MARKERBOARD
ADD	ADDITION	MEZZ	MEZZANINE
ALLOW	ALLOWANCE	MTR	MOTOR
		M.E.-I	MASONRY EXPANSION JOINT
BRK	BRICK	MISC	MISCELLANEOUS
BLKG	BLOCKING	M.O.	MASONRY OPENING
BD	BOARD	M.B.R.	MODIFIED BITUMEN ROOFING
BLK	BLOCK	MATL	MATERIAL
BLDG	BUILDING	MOD. BIT.	MODIFIED BITUMEN
BTM	BOTTOM	MARK	MARK
BM	BEAM		
BETW	BETWEEN		
BIT	BITUMINOUS	N.F.W.	NO FINISH WORK
B.U.R.	BUILT-UP ROOFING	N.I.C.	NORTH IN CONTRACT
BRG	BEARING	N.W.	NORTH WEST
B.S.	BOTH SIDES	N	NORTH
		N.	NORTH
		NUM.	NUMBER
		N.T.S.	NOT TO SCALE
		NECY	NECESSARY
		NOM	NOMINAL
CONST	CONSTRUCTION	OPP	OPPOSITE
CEM	CEMENT	O.C.	ON CENTER
C	COURSE(S)	O.C.E.W.	ON CENTER EACH WAY
CB	CHALKBOARD; CATCH BASIN	O.F.C.I.	OWNER FURNISHED - CONTRACTOR INSTALLED
C.C.J.	CONTROL JOINT	O.D.	OUTSIDE DIAMETER
COL	COLUMN	OPENG	OPENING
CO.	COMPANY	OFF	OFFICE
COND	CONDENSER	OA	OVER-ALL
C.M.U.	CONCRETE MASONRY UNIT	OHAD	OVERHEAD
CTRFLSHG	COUNTERFLASHING		
CNC	CONCRETE	OLYSO	POLYSOCYANURATE
CLEANIT	CLEANING	PRESH	PREFINISHED
CER	CERAMIC	PL. LAM.	PLASTIC LAMINATE
CONTR	CONTRACTOR	P.S.I.	POUNDS PER SQUARE INCH
CONT.	CONTINUOUS	PTD	PAINTED
CLG	CEILING	PL	PLATE
CONN	CONNECTION	PLYD	PLYWOOD
CAB	CABINET	PREFAB	PREFABRICATED
COV	COVER	R	PROPERTY LINE
€	CENTERLINE	PVC	POLYVINYL CHLORIDE
C.G.	CORNER GUARD	P.P.	POWER POLE
CLR	CLEAR	P.T.	PARTITION
CTR	CENTER	P.P.	PRESERVATIVE TREATED
C.O.	CHANGE ORDER	PNL	PANEL
CLO	CLOSET	PERF	PERFORATED
COORD.	COORDINATE	PHOTO	PHOTOGRAPH
		PLMB	PLUMBING
DIAG	DIAGONAL	PSF	POUNDS PER SQUARE FOOT
DED	DEDUCTIVE	PROJ	PROJECT
DEP	DEEP		
DBL	DOUBLE	QTY	QUANTITY
DISP	DISPENSER	Q.T.	QUARRY TILE
DIA	DIAMETER	QTR	QUARTER
DN	DOWN		
DS	DOWNSPOUT	RES	RESISTANT
DR	DOOR	RECT	RECTANGULAR
D.F.	DRINKING FOUNTAIN	RET	RETAINING
DW	DISHWASHER	REINF	REINFORCEMENT
DWG	DRAWING	RR	RAILROAD
DET	DETAIL	RFG	ROOFING
		REF	REFERENCE
EXT	EXTERIOR	RM	ROOM
ELEV	ELEVATION/ELEVATOR	RAD	RADIUS
E.W.	EACH WAY	R	RADIUS, RISER
EQ	EQUAL	R.O.	ROUGH OPENING
ELEC	ELECTRICAL	R.D.	ROUGH DRAIN
EQUIP	EQUIPMENT	REGD	REQUIRED
EXIST	EXISTING	REC	RECESSED
EXP	EXPANSION	RESIL	RESILIENT
E.W.C.	ELECTRIC WATER COOLER	REM	REMOVE
EXH	EXHAUST	REV	REVISE
E.I.F.S.	EXTERIOR INSULATION & FINISH SYSTEM		
E.J.	EXPANSION JOINT	S	SOUTH
E	EAST	S.S.T.	STAINLESS STEEL
ENCL	ENCLOSED/ENCLOSURE	SUSP	SUSPEND(ED), SUSPENSION
EA	EACH	S.C.	SOLID CORE
E.P.S.	EXPANDED POLYSTYRENE	STL	STEEL
E	ELEVATION	SHLV	SHELVING
E.F.	EXHAUST FAN	SHEATH	SHEATHING
E.B.	EXPANSION BOLT	S.E.	SOUTH EAST
		STRUCT	STRUCTURAL
F.F.E.	FINISH FLOOR ELEVATION	STD	STANDARD
FURR	FURRING	STOR	STORAGE
F.C.	FIRE EXTINGUISHER & CABINET	STN	STAIN (ED)
F.C.-R	FIRE EXTINGUISHER & CAB. - RATED	STO	STORAGE
F.C.(K)	FIRE EXTINGUISHER & CAB.(TYPE K EXTINGUISHER)	SKYLIT	SKYLIGHT
F.V.	FIELD VERIFY	SM	SIMILAR
FN	FINISH(ED)	S.V.	SHEET VINYL
FT	FOOT/FEET	SPR	SINGLE-PLY ROOFING
F.B.	FACE BRICK	SCHED	SCHEDULED
F.F.	FINISHED FLOOR	S.S.	SANITARY SEWER
FLSHG	FLUORESCENT	SO	SQUARE
FLUR	FLOOR	SECT	SECTION
FRM	FRAME	SPEC	SPECIFICATIONS
FDN	FOUNDATION	SYS	SYSTEM
FOUND	FOUNDATION	SHT	SHEET
FLR	FLOOR	SF	SQUARE FEET
FTG	FOOTING	SOT	STATIC DISSIPATIVE TILE
F.H.	FIRE HYDRANT		
F.D.	FLOOR DRAIN	TAB	TOP AND BOTTOM
F.R.T.W.	FIRE RETARDANT TREATED WOOD	TREAT	TREATED
FLRG	FLOORING	TLT	TOILET
		TYP	TYPICAL
		TEL	TELEPHONE
		T.O.C.	TOP OF CURB; TOP OF CONCRETE
		T.O.B.	TOP OF BEAM
		T.P.	TOILET PARTITION
		T.B.	TACK BOARD
		T.B.R.	TO BE REMOVED
		THK	THICK
		T.-J	TOOLED JOINT
		T	TREAD
		THRESH	THRESHOLD
		T.O.W.	TOP OF WALL
		TDJ	TOP OF JOINT
		TYP	TYPICAL
		T&G	TONGUE & GROOVE
		THRU	THROUGH
		TPD	TEMPERED
		U.N.O.	UNLESS NOTED OTHERWISE
		U.L. DES.	UNDERWRITER'S LABORATORY DESIGN
		UR	URNAL
		V.C.P.	VITRIFIED CLAY PIPE
		V.C.T.	VINYL COMPOSITION TILE
		V.T.R.	VENT THRU ROOF
		VEST	VESTIBULE
		V.R.	VAPOR RETARDER
		VERT	VERTICAL
INSUL	INSULATION, INSULATED	W/O	WITHOUT
IN	INCH	WITH	WITH
INT	INTERIOR	W.W.M.	WELDED WIRE MESH
LD.	INSIDE DIAMETER	W	WEST
IN	INCH	WASH	WASHER
INCL	INCLUDE	WD	WOOD
		WDW	WINDOW
WT	WEIGHT	W.O.	WHITE OAK
JAM	JAMMER	W.G.	WALL GUARD
ST	JUST	WT	WEIGHT
J.B.	JUNCTION BOX	W.F.	WIDE FLANGE
		WP	WATER PROOF
KD	KNOCK DOWN	WC	WATER CLOSET
		WH	WATER HEATER
LAV	LAVATORY		
LAM	LAMINATED	Ø	ANGLE
L.P.	LIGHT POLE	#	DIAMETER
LT. WT.	LIGHT WEIGHT	#	NUMBER
LN	LINEAR	⊙	AT

ABBREVIATIONS FOR CIVIL, MECHANICAL, PLUMBING AND ELECTRICAL SHEETS ARE THE RESPONSIBILITY OF THE ENGINEERING CONSULTANTS.

Stocks
Mann
Architects, PLC
401 W. CAPITOL, SUITE 402
LITTLE ROCK, AR 72201
501-370-9207 501-370-9208 (FAX)

CONSULTANTS
DCI, Inc.
Civil Engineer
ROBBINS ENGINEERING
Structural Engineer
TME, LLC.
MEPP Engineer



Fire Station Renovation and
Police Station Addition
Building 7200 - Camp Joseph T. Robinson
North Little Rock, Arkansas

REVISIONS

ISSUE DATE
JULY 1, 2016

PROJECT NO.
0901U

CONTENTS
GENERAL INFORMATION

SHEET NUMBER

G1.1